



ACL-FLS 150

(FLOWSOLVE 150) PAGE 1 OF 2

FLOWSOLVE 150

DISPERSANT C/W FOAMER

TECHNICAL DATA**PROPERTIES:**

FLOWSOLVE 150 is a winterized concentrated blend of dispersants and surfactants, designed specifically to prevent asphaltene buildup in tubular, production and flow line equipment, as well as aiding in unloading produced water from gas wells depending on composition of produced fluids. Effective to -40

PRODUCT BENEFITS:

- Keep asphaltene in dispersion and prevents downstream plugging of pipeline.
-
- Concentrated - economical boasting very low usage rates.
-
- Extremely effective on existing buildup.
-
- Blended to -40 C
-
- Cost Effective

DIRECTIONS:

FLOWSOLVE 150 can be injected or batched into well FLOWSOLVE 150 can be used down the annulus in open completion wells or at the wellhead directly injected into flowlines at required rates based on volumes and severity of the problem.

PACKAGING AVAILABILITY:

20L

205L

1025L TOTE

BULK

PHYSICAL PROPERTIES:

For an extensive list of physical properties, refer to the MSDS.

State	Liquid
Odour	Solvent
Color	Tan
Density	n/a kg/L
pH	6.5 – 7.5
Cloud Point	n/a
Cloud Point (1%)	n/a
Foam (1%)	n/a
Specific Gravity	0.98 <>2

ALTACHEM LTD.

5507-76th Ave. EDMONTON, AB. T6B 0A7

FAX: 780-414-1446

PH: 780-414-1445

www.altachem.caE-mail-altachem@gmail.com

TF: 1-866-414-1445

www.altachem.net



ACL-FLS 150

(FLOWSOLVE 100) PAGE 2 OF 2

FLOWSOLVE 150

DISPERSANT C/W FOAMER

TECHNICAL DATA**GENERAL FIRST AID INFORMATION****IN CASE OF INHALATION**

Remove victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel. Immediately transport victim to an emergency care facility.

IN CASE OF INGESTION

Rinse victim's mouth with water. **DO NOT INDUCE VOMITING.** Have victim drink 300 mL of water to dilute material in stomach. If milk is available, it may be given **AFTER** the water. Transport victim to an emergency facility.

IN CASE OF CONTACT WITH SKIN

In case of contact with skin, remove contaminated clothing and flush with water for at least 60 minutes. Do not interrupt flushing. Transport to an emergency facility.

IN CASE OF CONTACT WITH EYES

In case of contact with eyes, continuously flush eyes with plenty of water or neutral saline solution for at least 60 minutes. Transport to an emergency facility.

PERSONAL PROTECTIVE EQUIPMENT REQUIRED IF HANDLING DIRECTLY

Impermeable gloves
Chemical goggles or safety glasses
NIOSH approved, when misted
Regular Safety Boots
Eye Wash Station

TDG:

Preparation of TDS

For further details on the source of this information, see MSDS.

PH: 780-414-1445
www.altachem.ca

ALTACHEM LTD.
5507-76th Ave. EDMONTON, AB. T6B 0A7
FAX: 780-414-1446
E-mail-altachem@gmail.com

TF: 1-866-414-1445
www.altachem.net