<u>altachem@gmail.com</u> http://www.altachem.ca 5507-76th Avenue. W Edmonton,AB. CanadaT6B 0A7 <u>altachem@shaw.ca</u> <u>http://www.altachem.net</u> World Wide Whatsapp: +780-907-2357

Ph: + (780) 907-2357 Fax: + (780) 414-1446

# **ALTACHEM LTD.**

STICKS-PELLETS-BALLS (PRODUCTS IN STICK-PELLET OR BALL FORM)

DRILL BIT-WONDER WALNUT-SAPP-SLICK FOAM-CONDENSATE FOAM-OIL FOAM LIQUID FOAM-SAND FOAM-KWIK FOAM SELF AGIGITATING FOAM GAS GENERATING (AGITATING) COMBO FOAM-CONDENSATE FOAM COMBO FOAM-CORROSION INHIBITOR ACID-ACID CAP (ACIDIZING) **CORROSION INHIBITOR (TYPE A-B-C) SCALE INHIBITOR-SALT INHIBITOR ASPHALTENE DISPERSANT** PARAFFIN INHIBITOR ACID & ACID CAP (WELL ACIDIZING) **CORROSION & ACID PELLETS PARAFFIN & SCALE PELLETS H2S SCAVENGER-IRON SULPHIDE (THPS) OXYGEN SCAVENGER** CORROSION OXYGEN SCAVENGER **COAL BED METHANE-DEFOAMER** WATER SOLUBLE EMPTY TUBES WATER SOLUBLE PIGS **OIL SOLUBLE PIGS** 



# **SOLID SOLUTIONS FOR PRODUCTION – MAINTENANCE & DRILLING**

For more than 20 years ALTACHEM LTD. has been supplying solutions for the oil and gas industry with an unsurpassed commitment to excellence.

Located in the center of this nation's most active oil producing region, Select Industries continues to be an innovator providing soluble products around the globe.

Our products address and solve specific problems related to your production site. Even in extreme conditions where the well's fluid column is more than 70% composed of condensation, ALTACHEM LTD. still provides a soluble solution. Coupled with the use of automatic delivery systems, you can provide "round-the-clock" attention to your well delivering the right soluble chemical right when the well needs it.

Unlike liquid treatments that only penetrate the upper surface area, ALTACHEM LTD'S time released chemical sticks, pellets or balls activate at the source. Water, Condensate. Sand, Scale Paraffin build up, Salt deposits, Corrosion, as well as rust are all eliminated in the most cost effective way possible.

ALTACHEM LTD. is the largest solid chemical stick supplier in Canada with a growing penetration supplying solutions around the world.

5507-76th Avenue. W Edmonton, AB. CanadaT6B 0A7

altachem@gmail.com

http://www.altachem.ca

altachem@shaw.ca

http://www.altachem.net

World Wide Whatsapp: +780-907-2357

Ph: + (780) 907-2357 Fax: + (780) 414-1446

### **OIL & GAS FIELD SPECIALTY STICKS**

Sticks to meet all kinds of well situations, be it asphaltene's, paraffin's, salt, scale, corrosion, injection wells and many others we have a solution.

(Stock sizes in Red – Other Sizes to be Manufactured 2-3 weeks)

"COR-FOAM CORROSION/SOAP STICKS"

A unique chemical stick that contains 100% active ingredients that protect wells from corrosion and produce high amounts of foam. This product is contained in a water soluble tube with soluble caps.



<u>"COR-SCAV (CORROSION-OYGEN SCAVENGER) STICKS"</u>

This stick is used in operations where wells have been depleted of their production & are to be plugged and abandoned. The wells have untreated water pumped down the annulus as a purging agent. This water over a period can cause degradation on metal surfaces, causing loss and or leakage. High concentrations of both products in the stick when added to fluids will form a strong organic film on the metal surfaces & absorb the free oxygen in the fluids to prevent corrosion attack to the metal surfaces.

	<u> Cor-Scav (Corrosion-Oxyg</u>	<u>en Scav.) Stick</u>	<u>Sizing</u>	g & Part Numbers	<u>Pack</u>	aging: In a Cardboard Tub	<u>e</u>	<u>Color: Tan-White</u>
1				1 1/4 X 15 – ACL-0	650			

"CORROSION INHIBITOR (CORROSION-OIL) STICKS TYPE "A"

A <u>Water Dispersible and Oil-Soluble Sticks</u> that contain a <u>blend of Imidazolines</u> which have excellent filming characteristics and low emulsion tendencies. This unique blend gives effective corrosion control for most oil field corrosion problems

Corrosion Inhibitor Type "A"	<u>"Stick</u> <u>Sizing &amp; Pc</u>	<u>irt Numbers</u> <u>Pack</u>	aging: Cardboard Tube	<u>Color: Tan Dark</u>
3/4 x 15 – ACL-6020	1 x 15 – ACL-6035	1 1/4 X 15 – ACL-6050	1 3/8 X 16 - ACL-6070	1 5/8 x 18 – ACL-6080

"CORROSION INHIBITOR (CORROSION-WATER GAS WELL) STICKS TYPE "B"

Water-soluble sticks designed to release corrosion inhibitor and control corrosion from various sources. <u>CORROSION INHIBITOR</u> <u>STICKS™ TYPE "B"</u> contains Amine Salt in stick form.

	Corrosion Inhibitor Type "B	<u>"Stick</u> <u>Sizing &amp; Pa</u>	rt Numbers Pack	aging: Cardboard Tube	<u>Color: Off White</u>
-	3/4 x 15 - ACL-6120	1 x 15 – ACL-6135	1 1/4 X 15 – ACL-6150	1 3/8 X 16 - ACL-6170	1 5/8 x 18 – ACL-6180

#### <u>"CORROSION INHIBITOR (CORROSION-WATER GAS WELL) STICKS TYPE "C" or "RB"</u>

Water-soluble sticks designed to release corrosion inhibitor & control corrosion from various sources. Corrosion Inhibitor Sticks C & RB are especially effective in preventing Hydrogen Sulfide corrosion caused by sulfide reducing bacteria. Results of effective treatment will be reduced corrosion rates, a reduction in iron counts and iron sulfide deposits

 Corrosion Inhibitor Type	"C-RB" Stick	<u>Sizing</u>	& Part Numbers	<u>Packa</u>	nging: Water Soluble Tube	<u>Color: Dark Tan</u>
3/4 x 15 - ACL-6220RB	1 x 15 – ACL-62	235	1 1/4 X 15 – ACL-	-6250	1 3/8 X 16 - ACL-6270	1 5/8 x 18 – ACL-6280

5507-76th Avenue. W Edmonton, AB. CanadaT6B 0A7

altachem@shaw.ca

altachem@gmail.com

http://www.altachem.ca

http://www.altachem.net

World Wide Whatsapp: +780-907-2357

Ph: + (780) 907-2357 Fax: + (780) 414-1446

**OIL & GAS FIELD SPECIALTY STICKS** 

Sticks to meet all kinds of well situations, be it asphaltene's, paraffin's, salt, scale, corrosion, injection wells and many others we have a solution.

(Stock sizes in Red – Other Sizes to be Manufactured 2-3 weeks)

**"PARAFFIN INHIBITOR (PARAFFINS) STICKS"** 

A <u>Oil-soluble</u> stick that release's paraffin inhibitor to help reduce paraffin deposition from crude oil in production systems. The <u>PARAFFIN INHIBITOR STICK</u> contains a combination of micro-crystalline wax & special crystal modifiers. These ingredients contribute to an effective inhibiting process on certain ranges of molecular weight paraffin's.

<u>Paraffin Inhil</u>	bitor Stick <u>Sizing-P</u>	art Numbers Pack	aging: Cardboard Tube	<u>Color: Brown</u>
3/4 x 15 – ACL-7020	1 x 15 – ACL-7035	1 1/4 X 15 – ACL-7050	1 3/8 X 16 - ACL-7070	1 5/8 x 18 – ACL-7080

"ASPHALTENE (ASPHALTENES) STICKS"

This stick that keeps asphaltenes solublized (in suspension) and dispersed to avoid re flocculation (rejoining of particles) and reduce the size of particles. The <u>ASPHALTENE STICK</u> also works well in oil-wells to thin and disperse Paraffin's. Formulated to allow increased contact between solvents and deposits even in the presence of water.

 Asphaltene Stick	<u>Sizing &amp; Po</u>	art Numbers	<u>Pack</u>	aging: Cardboard Tube	<u>Color: White</u>
3/4 x 15 - ACL-7320	1 x 15 – ACL-7335	1 1/4 X 15 – ACL-7	350	1 3/8 X 16 - ACL-7370	1 5/8 x 18 – ACL-7380

"SCALE INHIBITOR (SCALE) STICKS"

This stick contains chemicals that help prevent carbonate types of scale from depositing downhole in oil and gas wells, casing, tubing, and flow lines. It is also very useful to include <u>ACID STICKS</u> in this type of treatment since <u>ACID STICKS</u> will remove carbonate types of scale after being deposited, also neutralizing scale in solution.

 <u>Scale Inhibitor Stick</u>	<u>Sizing &amp; Pa</u>	<u>irt Numbers</u>	<u>Packag</u>	ing: Water Soluble Tube	<u>Color: Off White</u>
		1 1/4 X 15 - A	ACL-6550	1 3/8 X 16 - ACL-6570	1 5/8 x 18 – ACL-6580

"RED SEA SALT (SALT PREVENTION) STICKS"

Water that enters the well bore contains various amounts of salts (sodium chloride and other salts) dissolved in the water. Often, as the fluid moves up the casing or tubing, these dissolved salts will precipitate out and reduce the opening in the pipe and in some instance totally plug the pipe. This stick will help keep the salt in solution by chelating action

	<u>Red Se</u>	a Salt Sticks Siz	ing & Part Numbers	Packaging: Cardboard Tube	Color: Red Speck
ARCONCERNING				1 5/8 X 16 - ACL-1170	

<u>"NEW MEXICO SALT (SALT PREVENTION & BREAKUP) STICKS"</u>

Water that enters the well bore contains various amounts of salts (sodium chloride and other salts) dissolved in the water. Often, as the fluid moves up the casing or tubing, these dissolved salts will precipitate out and reduce the opening in the pipe and in some instance totally plug the pipe. This stick will help keep the salt in solution by chelating action. Half of this stick is an <u>ACID</u> <u>STICK</u> which helps breakup the salt already formed.

<u>New Mexico S</u>	alt Sticks <u>Sizing</u>	& Part Numbers	<u>Packag</u>	ing: Water Soluble Tube	<u>Color: Brown/White</u>
3/4 x 15 - ACL-1020	1 x 15 – ACL-1035	1 1/4 X 15 – A	CL-1050	1 3/8 X 16 - ACL-1070	1 5/8 x 18 – ACL-1080

5507-76th Avenue. W Edmonton, AB. CanadaT6B 0A7

altachem@shaw.ca

http://www.altachem.net

Ph: + (780) 907-2357 Fax: + (780) 414-1446

World Wide Whatsapp: +780-907-2357

## **OIL & GAS FIELD SPECIALTY STICKS**

Sticks to meet all kinds of well situations, be it asphaltene's, paraffin's, salt, scale, corrosion, injection wells and many others we have a solution.

(Stock sizes in Red – Other Sizes to be Manufactured 2-3 weeks)

"SAND (SAND/SILT/SLUDGE DISPERSANT C/W FOAMER) STICKS"

Designed to convert dense sludge and silt deposits into light non adherent agglomerates that permit easy dispersion. Foaming agents aid in the unloading of natural gas wells where water buildup reduces production. Works excellently in wells that contain condensate up to 65% Condensate.

<u>Sand Sticks</u>	<u>Sizing-Pe</u>	art Numbers <u>Po</u>	ckaging: Cardboard Tube	<u>Color: Yellow</u>
3/4 x 15 - ACL-3520	1 x 15 – ACL-3535	1 1/4 X 15 – ACL-3550	ACL-3570 – 1 3/8 X 16	

<u>"ACID (SCALE/SALT/SAND)(MAINTENANCE) STICKS"</u>

Water-soluble sticks that release acid downhole in injection wells to remove carbonate scale & rust deposits. <u>Acid Sticks</u> are a combination of acid, surfactant, dispersing agent, iron sequestrator, and inhibitor in solid form. This stick is <u>30% active</u>.

<u>Acid Stick</u>	<u>Sizing &amp; Pa</u>	<u>irt Numbers</u> <u>Pack</u>	aging: Cardboard Tube	<u>Color: White</u>
3/4 x 15 - ACL-2020	1 x 15 – ACL-2035	1 1/4 X 15 – ACL-2050	1 3/8 X 16 - ACL-2070	1 5/8 x 18 – ACL-2080

"ACID CAP (SCALE/SAND/SALT/PLUNGER/INJECTION WELLS/WELL CLEANOUT) STICKS"

<u>Water-soluble sticks</u> that release acid down-hole in water injection wells to remove carbonate scale and rust deposits. <u>Acid Cap</u> <u>Sticks</u> are <u>100% active</u>. <u>SEE SECTION UNDER TREATMENTS ON TREATING A WELL</u>

x	Acid Cap Sticks	Sizing & Part No	<u>lumbers</u> <u>Packag</u>	ing: Water Soluble Tube	<u>Color: Off White</u>
	3/4 x 15 - ACL-2120	1	1 1/4 X 15 – ACL-2150		

<u>"BUG (SRB) TREATING STICKS--EVIROBROM G BIOCIDE STICKS "</u>

This stick *incorporates 2,2-dibromo nitrilopropionamide (DBNPA), a fast-acting non-oxidizing biocide*, and Enviro Tech's proprietary controlled release technology in a water soluble stick to deliver the most potent biocidal activity and persistent kill dynamics. The water soluble stick completely dissolves releasing the DBNPA biocide granules into the water. *ENVIRO BROM® G STICKS DBNPA granules will be most effective in water at a pH below 9.* The DBNPA granules are packaged individually in 14" sticks containing 0.6 lbs (270 g) of granules in each stick. *ENVIRO BROM® G STICKS* are composed of 95.6% DBNPA, with the balance a proprietary inert package providing controlled release performance. (Not Available in Canada)

	<u>Red Se</u>	ea Salt Sticks Sizing	g & Part Numbers	Packaging: Cardboard T	ube <u>Color: White</u>
			1 1/4 x 15 - ACL-865	)	

<u>"ANTI FREEZE (HYDRATE INHIBITOR) STICKS"</u>

Special water-soluble sticks containing a combination of stabilizers and glycol-based antifreeze. <u>Glycol-based antifreeze and</u> <u>stabilizers produces an aqueous product, which can help reduce the freeze point of the produced water</u> in the production string, flow lines and surface equipment.

<u>Anti Freeze Sticks</u>	<u>Sizing &amp;</u>	Part Numbers	<u>Packag</u>	ing: Water Soluble Tube	<u>Color: Light Green</u>

http://www.altachem.ca

altachem@gmail.com

5507-76th Avenue. W Edmonton, AB. CanadaT6B 0A7

altachem@shaw.ca

altachem@gmail.com

http://www.altachem.ca

http://www.altachem.net

Ph: + (780) 907-2357 Fax: + (780) 414-1446

World Wide Whatsapp: +780-907-2357

### **OIL & GAS FIELD SPECIALTY STICKS**

Sticks to meet all kinds of well situations, be it asphaltene's, paraffin's, salt, scale, corrosion, injection wells and many others we have a solution.

(Stock sizes in Red – Other Sizes to be Manufactured 2-3 weeks)

"H2S (HYDROGEN SULPHIDE SCAVENGER STICKS"

This <u>organic sulfide scavenger</u> designed to help down-hole with hydrogen sulfide that is entering the well from the bottom perforated area and creating problems for the well system.





altachem@gmail.com http://www.altachem.ca altachem@shaw.ca http://www.altachem.net World Wide Whatsapp: +780-907-2357

Ph: + (780) 907-2357 Fax: + (780) 414-1446

# **ALTACHEM LTD. OIL & GAS FIELD SOAP STICKS**

(Some of the Countries & Companies that have used Solid Chemical Products)

-USA -CANADA -MEXICO -COLUMBIA -PERU -CHILE -INDIA -LYBIA -OMAN -MALAYSIA -INDONESIA -UAE -SAUDI ARABIA -ARGENTINA -BRITAIN -NIGERIA

There are many other major companies using Solid Chemical Products world wide

